





DETECTOR

GA-52Cx

Applications

Handheld
Handheld

Types

Metal detectors (MD)

Last update

01/01/1970

General description

The GA-52Cx Locator detects the magnetic field of iron and steel objects. Designed for one-hand operations, the On/Off-Sensitivity and Volume controls are located on the underside of the cover. This provides easy access, protects the knobs and contributes to their overall ruggedness and dependability.

Working characteristics

Clear, sharp, detection signal pinpoints the target Ease of operation reduces search time Modular construction and high performance components Weather protected controls Rugged, lightweight case Innovative HeliFlux® sensors No response to aluminum, brass, or copper One Year Warranty for UXO use

Radio, audio, visual, sensitivity data

Audio output	Tone frequency varies with gradient field intensity
Sensitive adjustment	1

Power supply data

Battery	Two 9-Volt Batteries
---------	----------------------

Dimensional data

Length	107 mm
Weight	1.13 kg
Search head size	32 mm
Shape	Stick
Transport case provided	1
Transport case information	Rugged hard-case included, 112 cm x 15 cm x 13 cm
Transport case weight	1.2 kg

Factory support data

Factory support	Our customer support department is committed to providing prompt response and 100% satisfaction. Most Schonstedt locators returned to the factory for a paid repair will be completely refurbished. Not only will it look like new, it will operate within i
Warranty	1 Year Warranty for UX0 & EOD
Temperature limitations	Operating Temps: -25 C to 60 C

Price

Base price	955 €
Reduction for higher quantity	Call 888-367-7014 or email schonstedt.info@spx.com for additional pricing.

Other

Additional equipment	Magnetic Locators, Pipe & Cable Locators
Other models	GA-52Cx-Rc (rechargeable batteries), GA-72Cd, GA-72Cd-Rc, GA-72Cd-ML

Other information

Images



