





DETECTOR

# GA-52Cx

Applications

Handheld  
Handheld

Types

Metal detectors (MD)

Last update

01/01/1970

## General description

The GA-52Cx Locator detects the magnetic field of iron and steel objects. Designed for one-hand operations, the On/Off-Sensitivity and Volume controls are located on the underside of the cover. This provides easy access, protects the knobs and contributes to their overall ruggedness and dependability.

## Working characteristics

Clear, sharp, detection signal pinpoints the target Ease of operation reduces search time Modular construction and high performance components Weather protected controls Rugged, lightweight case Innovative HeliFlux® sensors No response to aluminum, brass, or copper One Year Warranty for UXO use

## Radio, audio, visual, sensitivity data

Audio output	Tone frequency varies with gradient field intensity
Sensitive adjustment	1

## Power supply data

Battery	Two 9-Volt Batteries
---------	----------------------

## Dimensional data

<b>Length</b>	107 mm
<b>Weight</b>	1.13 kg
<b>Search head size</b>	32 mm
<b>Shape</b>	Stick
<b>Transport case provided</b>	1
<b>Transport case information</b>	Rugged hard-case included, 112 cm x 15 cm x 13 cm
<b>Transport case weight</b>	1.2 kg

## Factory support data

<b>Factory support</b>	Our customer support department is committed to providing prompt response and 100% satisfaction. Most Schonstedt locators returned to the factory for a paid repair will be completely refurbished. Not only will it look like new, it will operate within i
<b>Warranty</b>	1 Year Warranty for UX0 & EOD
<b>Temperature limitations</b>	Operating Temps: -25 C to 60 C

## Price

<b>Base price</b>	955 €
<b>Reduction for higher quantity</b>	Call 888-367-7014 or email <a href="mailto:schonstedt.info@spx.com">schonstedt.info@spx.com</a> for additional pricing.

## Other

<b>Additional equipment</b>	Magnetic Locators, Pipe & Cable Locators
<b>Other models</b>	GA-52Cx-Rc (rechargeable batteries), GA-72Cd, GA-72Cd-Rc, GA-72Cd-ML

## Other information

### Images







