



PPE

SD STANDARD VISOR

Applications

Handheld
Head and eye protection

Types

Metal detectors (MD)

Last update

01/01/1970

General description

The SD standard full-face visor is believed to be the most used facial protection in humanitarian demining worldwide. We have sold more than 20,000, supplying several equipment suppliers (under their Logo) and selling to many demining groups direct.

Working characteristics

The standard SD full-face blast visor is made using 5mm untreated polycarbonate sheet, as required in the UN's International Mine Action Standards (IMAS. 10.30 Second Edition Amendement 4, June 2013). It is usually supplied with a 1mm polycarbonate scratch-guard which you should replace when it becomes damaged. The head-frame supplied can be either our "standard" or the "comfort®" model. Both are made using durable and washable polyamide and are adjusted to fit using Velcro® straps. The head-frame includes a padded forehead strip than should be removed and washed regularly. The head-frame and visor face should be adjusted so that the visor hangs straight down, then the bolts should be tightened. Nylock® nuts are used because the visor is not designed to be raised during use. All standard visors are stamped with a number for easy visor management. Your organisation's logo (one colour) can be printed onto the visor at no extra cost.

Dimensional data

Weight	1 kg
Sizes available	1 standard size
Transport case information	Fleece bag

Factory support data

Warranty	12 months
----------	-----------

Price

Base price	59.90 €
Reduction for higher quantity	Yes quantity discounts are available

Other

Colours available	UN blue, black, Navy blue
-------------------	---------------------------

Protective performance

Protection level	V50 = 250 m/s
------------------	---------------

Other information

Images

